


SKVS 7 LG

Cable gland with bend protection, polyamide, Pg 7, RAL 7035



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.



Material cable gland	Polyamide
Material sealing gasket	EPDM
Protection class	IP69, IP68 (5 bar 30 min)
Temp. range min	-20 °C
Temp. range max	80 °C
Glow wire test	750 °C
Thread type	PG
Ø Connection thread D	7
Length screw-in thread L	8 mm
Ø cable diameter min	3 mm
Ø cable diameter max	6,5 mm
Key width SW	15 mm
Collar diameter (E)	16 mm
Total length TL	68 mm
Type of cable anchorage	A
Product Color	RAL 7035
Type	SKVS 7 LG
Order no. RAL 7035	10060615
Packing unit	100
EAN number	4007685606158
Tariff number	39269097
ETIM-Classification	EC000441

Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

Recommended accessories

MUG 7 LG	10060670
ADR 7	10061419
RDE 12	10062183
BS 6	10064004
MFD 12/04/020	10064392
MFD 12/02/020	10100525

03.04.2023

Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

 +49-4191-508-0 ·  +49-4191-508-209

contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice



Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com