



HIGHBAY DALI



| | EAN | Ø x h [mm] | W | V _{AC} | Hz | lm | lm/W | K |
|--------------------------------|---------------|------------|-----|-----------------|---------|-------|------|------|
| HB DALI 93W/4000K 110DEG IP65 | 4058075543904 | 280 x 160 | 93 | 220-240V | 50/60Hz | 13000 | 140 | 4000 |
| HB DALI 93W/4000K 70DEG IP65 | 4058075543911 | 280 x 160 | 93 | 220-240V | 50/60Hz | 13000 | 140 | 4000 |
| HB DALI 155W/4000K 110DEG IP65 | 4058075543928 | 321 x 163 | 155 | 220-240V | 50/60Hz | 22000 | 140 | 4000 |
| HB DALI 155W/4000K 70DEG IP65 | 4058075543935 | 321 x 163 | 155 | 220-240V | 50/60Hz | 22000 | 140 | 4000 |
| HB DALI 190W/4000K 110DEG IP65 | 4058075543942 | 321 x 168 | 190 | 220-240V | 50/60Hz | 27000 | 140 | 4000 |
| HB DALI 190W/4000K 70DEG IP65 | 4058075543959 | 321 x 168 | 190 | 220-240V | 50/60Hz | 27000 | 140 | 4000 |
| HB DALI 210W/4000K 70DEG IP65 | 4058075543966 | 321 x 168 | 210 | 220-240V | 50/60Hz | 30000 | 140 | 4000 |

| | EAN | IP | IK | ∇ | R _a | ℓ (°C) | PF | ⚖ |
|--------------------------------|---------------|----|----|------|----------------|-------------|-------|--------|
| HB DALI 93W/4000K 110DEG IP65 | 4058075543904 | 65 | 08 | 110° | ≥80 | -30 ... +50 | ≥0.95 | 2.8 kg |
| HB DALI 93W/4000K 70DEG IP65 | 4058075543911 | 65 | 08 | 70° | ≥80 | -30 ... +50 | ≥0.95 | 2.8 kg |
| HB DALI 155W/4000K 110DEG IP65 | 4058075543928 | 65 | 08 | 110° | ≥80 | -30 ... +50 | ≥0.95 | 3.6 kg |
| HB DALI 155W/4000K 70DEG IP65 | 4058075543935 | 65 | 08 | 70° | ≥80 | -30 ... +50 | ≥0.95 | 3.6 kg |
| HB DALI 190W/4000K 110DEG IP65 | 4058075543942 | 65 | 08 | 110° | ≥80 | -30 ... +50 | ≥0.95 | 3.8 kg |
| HB DALI 190W/4000K 70DEG IP65 | 4058075543959 | 65 | 08 | 70° | ≥80 | -30 ... +50 | ≥0.95 | 3.8 kg |
| HB DALI 210W/4000K 70DEG IP65 | 4058075543966 | 65 | 08 | 70° | ≥80 | -30 ... +50 | ≥0.95 | 3.8 kg |


HIGHBAY DALI



2x M8*12
2x M8
2x M8
2x M4*8

1x


148mm 133mm






2x M8*12
2x M8
2x M8
2x M4*8



1x


148mm 151mm

| | l x w x h [mm] |  |
|-------------------------------|----------------|---|
| HB Bracket 93W | 133 x 35 x 148 | 0.3 kg |
| HB Bracket 155W & 190W & 210W | 151 x 35 x 148 | 0.3 kg |









| | EAN | Ø x h [mm] |  |
|---------------------------|---------------|------------|---|
| HB ALU REFLECTOR 93W | 4058075507043 | 415 x 208 | 0.5 kg |
| HB ALU REFLECTOR 155-210W | 4058075507050 | 499 x 250 | 0.6 kg |









| | EAN | Ø x h [mm] |  |
|--------------------------|---------------|------------|---|
| HB PC REFRACTOR 93W | 4058075507029 | 309 x 76 | 0.2 kg |
| HB PC REFRACTOR 155-210W | 4058075507036 | 414 x 138 | 0.4 kg |



2










HIGHBAY DALI



HB ALU REFLECTOR 93W
EAN 4058075507043

 4x  M4*8


1x





 \varnothing
415mm


208mm

HB ALU REFLECTOR 155W-210W
EAN 4058075507050

 4x  M4*8




1x


 \varnothing
499mm


250mm

HB PC REFRACTOR 93W
EAN 4058075507029





1x


 4x  M4*8

 \varnothing
309mm


76mm





HB PC REFRACTOR 155W-210W
EAN 4058075507036


1x





 4x  M4*8

 \varnothing
414mm


138mm

HB ALU REFLECTOR 93W-210W



HB PC REFRACTOR 93W-210W



| n | B16 | C10 | C16 |
|--------------------------------|-----|-----|-----|
| HB DALI 93W/4000K 110DEG IP65 | 5 | 5 | 8 |
| HB DALI 93W/4000K 70DEG IP65 | 5 | 5 | 8 |
| HB DALI 155W/4000K 110DEG IP65 | 3 | 3 | 5 |
| HB DALI 155W/4000K 70DEG IP65 | 3 | 3 | 5 |
| HB DALI 190W/4000K 110DEG IP65 | 3 | 3 | 4 |
| HB DALI 190W/4000K 70DEG IP65 | 3 | 3 | 4 |
| HB DALI 210W/4000K 70DEG IP65 | 3 | 3 | 4 |



C10449058
G11110042
18.12.20



LEDVANCE GmbH
Steinerne Furt 62
86167 Augsburg, Germany
www.ledvance.com