# Nestor St Closure S 24F Mech

## Features

- Designed for direct buried, pole and wall mount or manhole applications
- Capacity for 24 single fiber splices
- Two oval inlets with 55,6mm x 40,9mm inner dimensions
- Dimensions — Length 375mm, closure Ø 114,3mm, flange Ø 154mm
- Material — Acid-proof stainless steel
- Tightness — IP 67
- Product name and code — LV2438 Jatkospkt. Nestor St Closure S 24F Mech

© Nestor Cables Ltd. 2020.


The information contained within this document must not be copied, reprinted or reproduced in any form, either wholly or in part, without the prior written consent of Nestor Cables Ltd. The information is believed to be correct at the time of issue. Nestor Cables Ltd. reserves the right to amend this specification without notice. This specification is not contractually valid unless specifically authorized by Nestor Cables Ltd.



*Inner frame of the Nestor St Closure S 24F Mech.*

© Nestor Cables Ltd. 2020.



The information contained within this document must not be copied, reprinted or reproduced in any form, either wholly or in part, without the prior written consent of Nestor Cables Ltd. The information is believed to be correct at the time of issue. Nestor Cables Ltd. reserves the right to amend this specification without notice. This specification is not contractually valid unless specifically authorized by Nestor Cables Ltd.

## Basic assembly

- Grounding clip for 16 $mm^2$ grounding wire
- Grounding wires
- Mounting and grounding bars for incoming cables
- Splice sleeves & sleeve holders for 24 fibers
- Supplies for fastening loose tubes on the splice tray
- Dehumidifier
- Sandpaper

*Nestor St Closure S 24F Mech basic assembly.*

© Nestor Cables Ltd. 2020.



The information contained within this document must not be copied, reprinted or reproduced in any form, either wholly or in part, without the prior written consent of Nestor Cables Ltd. The information is believed to be correct at the time of issue. Nestor Cables Ltd. reserves the right to amend this specification without notice. This specification is not contractually valid unless specifically authorized by Nestor Cables Ltd.

## Optional accessories

- LV2543 Nestor Mech Seal 6 x 10mm

- LV2544 Nestor Mech Seal 4 x 15mm

- LV2545 Nestor Mech Seal 2 x 18mm

- LV2546 Nestor Mech Seal 2 x 23mm

- LV1903 Pole and wall mount

© Nestor Cables Ltd. 2020.



The information contained within this document must not be copied, reprinted or reproduced in any form, either wholly or in part, without the prior written consent of Nestor Cables Ltd. The information is believed to be correct at the time of issue. Nestor Cables Ltd. reserves the right to amend this specification without notice. This specification is not contractually valid unless specifically authorized by Nestor Cables Ltd.